## CLAIMS

- 1. A sealing material for insulating glass, comprising a resin composition including an isobutylene-based diblock copolymer (A) composed of a polymer block (a) containing an aromatic vinyl compound as a constituent monomer and a polymer block (b) containing isobutylene as a constituent monomer.
- 2. The sealing material for insulating glass according to claim 1, wherein the resin composition further comprises a thermoplastic resin (B).
  - 3. The sealing material for insulating glass according to claim lor2, wherein the resin composition further comprises a tackifying resin (C).

15

10

5

- 4. The sealing material for insulating glass according to any one of claims 1 to 3, wherein the resin composition further comprises a plasticizer (D).
- 5. The sealing material for insulating glass according to any one of claims 2 to 4, wherein the thermoplastic resin (B) is at least one selected from the group consisting of thermoplastic elastomers, polyethylene, ethylene- $\alpha$ -olefin copolymers, and isobutylene-isoprene copolymers.

6. The sealing material for insulating glass according to claim 5, wherein the thermoplastic elastomer is either a styrenic thermoplastic elastomer or a thermoplastic polyurethane elastomer.

5

10

15

- 7. The sealing material for insulating glass according to claim 6, wherein the styrenic thermoplastic elastomer is a triblock copolymer composed of (a polymer block containing an aromatic vinyl compound as a constituent monomer) (a polymer block containing isobutylene as a constituent monomer) (a polymer block containing an aromatic vinyl compound as a constituent monomer).
- 8. The sealing material for insulating glass according to claim 6, wherein the styrenic thermoplastic elastomer is a triblock copolymer composed of (a polymer block containing an aromatic vinyl compound as a constituent monomer) (a polymer block containing a conjugated diene as a constituent monomer) (a polymer block containing an aromatic vinyl compound as a constituent monomer).

20

9. The sealing material for insulating glass according to claim 6, wherein the styrenic thermoplastic elastomer is a triblock copolymer composed of (a polymer block containing an aromatic vinyl compound as a constituent monomer) - (a polymer block

containing a hydrogenated conjugated diene as a constituent monomer) - (a polymer block containing an aromatic vinyl compound as a constituent monomer).